



ADAM STONE PRODUCTS LTD.

www.adamstone.ca info@adamstone.ca



CATALOGUE

03	SLAB FORMAT & APPLICATION	05	NATURAL
		27	MINERAL
		37	CEMENT
04	ROCKTON ADVANTAGES	43	TITANIUM
		53	PURE
		50	EARTH
		60	ULTRA LIGHT SYSTEM
		61	ROCKTON SUMMARY
		65	TECHNICAL SPECIFICATIONS



ROCKTON ADVANTAGES



UV RESISTANT

Rockton is impervious to the sun's UV radiation, making it perfect for outdoor applications.



ANTI-MICROBIAL & FOOD SAFE

Made from pure natural materials, Rockton is safe for direct contact with food.



DIMENSIONAL STABILITY

Rockton has a very low thermal coefficient, so it will not change with extreme temperature fluctuations.



EXCEPTIONAL MECHANICAL DURABILITY

Rockton is hard and resistant to damage during everyday use.



HEAT RESISTANT

Fire and heat resistant, Rockton is perfect for all kitchen applications.



LOW WATER ABSORPTION

Fire and heat resistant, Rockton is perfect for all kitchen applications.



STAIN RESISTANT

Rockton highly resistant to aggressive chemical products used in kitchens and bathrooms.



DIAMOND STRONG

Rockton has a super hard surface that can with stand normal wear and tear with ease.



ANKARA

AR6740



Size: 1200 x 2800 x 6mm 1600 x 3200 x 12mm

Finish:

Matte

Grip Tech:

Advanced Surface Finish

FULLBODY

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space









Texture 1 Texture 2

STATUARIO BLANCO

AR6173



Size: 1600 x 3200 x 20mm



Finish:

Matte

Grip Tech:

Advanced Surface Finish

FULLBODY

Applications:

Living Room / Kitchen Restaurant / Bathroom Commercial Space




















CALACATTA ARGENTA

AR6199



Size: 1600 x 3200 x 20mm



Finish:

Matte

Grip Tech:

Advanced Surface Finish

FULLBODY

Applications:

Living Room / Kitchen Restaurant / Bathroom Commercial Space



















ICELANDIC WHITE

AR6295



Size: 1600 x 3200 x 20mm



Finish:

Honed

Grip Tech:

Advanced Surface Finish

FULLBODY

Applications:

Living Room / Kitchen Restaurant / Bathroom Commercial Space

















BIANCO VENATINO

AR6293



Size: 1600 x 3200 x 12mm



Finish:

Honed / Polished

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space









Texture 1 Texture 2

CALACATTA GOLD

AR6155



Size: 1600 x 3200 x 12mm



Finish:


Honed / Polished

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space










Texture 1 Texture 2

STATUARIO NUOVO

AR6655



Size: 1600 x 3200 x 12mm



Finish:

Honed

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space







Texture 1 Texture 2

CALACATTA SATIN BLANC

AR6780



Size: 1200 x 2700 x 6mm



Finish:

Honed

Grip Tech:


Advanced Surface Finish

Applications:

Living Room / Bathroom Exterior / Interior Wall Commercial Space








Continuous



Texture 1 Texture 2 Texture 3 Texture 4

INVISIBLE WHITE

AR6870



Size: 1600 x 3200 x 12mm



Finish:

Honed

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space



















CALACATTA EXTRA

AR6785



Size: 1200 x 2700 x 6mm

⊕ 6mm

Finish:

Honed

Applications:

Living Room / Bathroom
Interior Wall
Commercial Space







Texture 1 Texture 2

STATUARIO AZUL

AR6760



Size: 1600 x 3200 x 6mm

☆ 6mm

Finish:

Honed

Applications:

Living Room / Bathroom
Interior Wall
Commercial Space







Continuous



CALACATTA PAONAZZO

AR6860



Size: 1600 x 3200 x 12mm




Finish: Honed


Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space









Texture 1 Texture 2

TAJ MAHAL

AR6348



Size: 1600 x 3200 x 12mm



Finish:

Honed / Polished

Grip Tech:

Advanced Surface Finish

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space









Texture 1 Texture 2

BASALT CLASSIC

AR6359



Size: 1200 x 2700 x 6mm 1600 x 3200 x 12mm

♥ 12mm **♦** 6mm

Finish:

Contoured

Grip Tech:

Advanced Surface Finish


FULLBODY

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space







Continuous



Texture 1 T

Texture 2

Texture 3

CYPRUS GREY

AR6160



Size: 1600 x 3200 x 12mm



Finish:


Honed

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Facades



















PIETRA GREY

AR6560



Size: 1600 x 3200 x 12mm



Finish:

Honed

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Facades




















SOAP STONE

AR6642



Size: 1200 x 2700 x 6mm 1600 x 3200 x 12mm



Finish:

Contoured

Grip Tech:

Advanced Surface Finish

FULLBODY

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space









Texture 1 Texture 2

NERO MARQUINA

AR6900



Size: 1600 x 3200 x 12mm 1600 x 3200 x 20mm




Finish:

Matte

FULLBODY

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space



















SAHARA NOIR

AR6890



Size: 1600 x 3200 x 20mm




Finish:


Matte

FULLBODY

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space



















MAGIC BLACK

AR6270



Size: 1600 x 3200 x 6mm 1600 x 3200 x 12mm

Finish:


Honed

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Facades



















BULGARI BLACK

AR6710



Size: 1600 x 3200 x 12mm

♥ 12mm

Finish:

Matte

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Facades























EMPEROR ONYX

AR6380



Size: 1200 x 2800 x 6mm 1600 x 3200 x 12mm

♥ 12mm **♦** 6mm

Finish:


Polished


FULLBODY

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space









Texture 1 Texture 2

PATAGONIA

AR6200



Size: 1600 x 3200 x 12mm



Finish:

Polished

Grip Tech:


Advanced Surface Finish

FULLBODY

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space




















ONICE WHITE

AR6370



Size: 1200 x 2700 x 6mm 1600 x 3200 x 12mm



Finish:

Honed / Polished

Grip Tech:

Advanced Surface Finish

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space







Continuous



Texture 1

Texture 2

Texture 3

CALACATTA HERMES

AR6750



Size: 1600 x 3200 x 12mm




Finish:

Polished

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space







Continuous



Texture 1 Texture 2

ARABESCATO BULGARI

AR6845



Size: 1600 x 3200 x 6mm 1600 x 3200 x 12mm



Finish:

Honed

Grip Tech:

Advanced Surface Finish

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space










Texture 1 Texture 2

CAREGGI

AR6390



Size: 1200 x 2800 x 6mm 1600 x 3200 x 12mm



Finish:

Polished


Grip Tech:

Advanced Surface Finish

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space









Texture 1 Texture 2

ASFORD GREY

AR6640



Size: 1600 x 3200 x 12mm



Finish:


Honed

Grip Tech:

Advanced Surface Finish

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space







Continuous




Texture 1 Texture 2

CALACATTA BLACK

AR6630



Size: 1200 x 2700 x 6mm 1600 x 3200 x 12mm



Finish:

Matte


Grip Tech:


Advanced Surface Finish

Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space









Texture 1

Texture 2

EMPERADO BROWN

AR6635



Size: 1200 x 2800 x 6mm 1600 x 3200 x 12mm



Finish:


Matte


Grip Tech:

Advanced Surface Finish


Applications:

Living Room / Kitchen Restaurant / Bathroom Exterior / Interior Wall Commercial Space









Texture 1 Texture 2

Cement

The Cement Series embodies the rugged charm and modern sophistication of industrial design. Its raw textures and muted hues provide a versatile, stylish backdrop, creating a timeless and captivating ambiance.

KOTAN WHITE

AR6601



Size: 1600 x 3200 x 12mm



Finish:

Contoured

Grip Tech:

Advanced Surface Finish

Applications:

















IVORY TERRA

AR6602



Size: 1600 x 3200 x 12mm



Finish:


Contoured

Grip Tech:

Advanced Surface Finish

Applications:















ELEMENTAL LIGHT GREY

AR6605



Size: 1600 x 3200 x 12mm



Finish:

Matte

Grip Tech:

Advanced Surface Finish

Applications:

















ELEMENTAL DARK GREY

AR6608



Size: 1600 x 3200 x 12mm



Finish:

Matte

Grip Tech:

Advanced Surface Finish

Applications:

















OBSIDIAN GREY

AR6500



Size: 1600 x 3200 x 12mm



Finish:

Matte

Applications:

















Titanium

Titanium not only symbolizes the bespoke elegance of the 19th century and the aesthetics of metal, but also exudes a distinctive textured quality. By integrating these metallic elements into the home, it creates a unique and captivating decorative aesthetic.

TITANIUM SILVER GREY

AR6107



Size: 1600 x 3200 x 12mm 1600 x 3200 x 20mm



Finish:

Matte

FULLBODY

Applications:



















TITANIUM BLUE

AR6595



Size: 1600 x 3200 x 12mm 1600 x 3200 x 20mm



Finish:

Matte

FULLBODY

Applications:



















FOREST BED

AR6540



Size: 1600 x 3200 x 12mm




Finish: Matte

Applications:





















METALLIC

AR6550



Size: 1600 x 3200 x 12mm



Finish:

Matte

Applications:






















LIQUID SILVER

AR6610



Size: 1200 x 2700 x 6mm 1600 x 3200 x 12mm



Finish:


Matte

Grip Tech:

Advanced Surface Finish

Applications:



















GUN METAL

AR6612



Size: 1200 x 2700 x 6mm 1600 x 3200 x 12mm

Finish:

Matte

Grip Tech:

Advanced Surface Finish

Applications:























Pure

Pure color is impactful artwork. Though it focuses on a single hue, it holds a multitude of interpretations. Purity and unity converge to create a rich, uncomplicated essence. The allure of pure colors presents a simpler and more encompassing choice.

ABSOLUTE WHITE

AR6480



Size: 1600 x 3200 x 12mm



Finish:

Contoured / Matte

FULLBODY

Applications:















ABSOLUTE BLACK

AR6530



Size: 1600 x 3200 x 12mm




Finish:

Contoured / Matte

FULLBODY

Applications:



















INFINITY TRAVERTINE

AR6340



Size: 1200 x 2800 x 6mm 1600 x 3200 x 12mm



Finish:

Contoured

Grip Tech:

Advanced Surface Finish

Applications:

















ROMAN TRAVERTINE

AR6341



Size: 1200 x 2800 x 6mm 1600 x 3200 x 12mm

Finish:

Contoured

Grip Tech:

Advanced Surface Finish

Applications:



















ROMAN BEIGE TRAVERTINE

AR6345



Size: 1600 x 3200 x 12mm




Finish:

Contoured

Applications:



















LIMESTONE BEIGE

AR6338



Size: 1200 x 2800 x 6mm 1600 x 3200 x 12mm



Finish:

Contoured

Grip Tech:

Advanced Surface Finish

Applications:

















LIMESTONE GREY

AR6350



Size: 1200 x 2800 x 6mm 1600 x 3200 x 12mm



Finish:

Contoured

Grip Tech:

Advanced Surface Finish

Applications:



















PIETRA VENICE

AR6235



Size: 1200 x 2700 x 6mm 1600 x 3200 x 12mm

Finish:

Contoured


Grip Tech:

Advanced Surface Finish

Applications:



















ULTRA LIGHT SYSTEM

Rockton slabs can be applied in a variety of ways to ensure the best fit for every situation. Consult with your project manager or engineer for the best cladding system for your wall.

The 6063T5 extruded section, extrusion of horizontal profiles aluminium of GB5237.1~5-2008, GB5237.6-2004.

Specialized stainless steel back groove type attachment fittings. The quantity depends on the load.


Fixed hook, extrusion of alumiunm alloy 6063T5 by inserting horizontal profiles GB5237.1~5-2008, GB5237 .6-2004.

Fix the support on the structure with mechanical or chemical bolts when necessary.


Fiberglass reinforcing net, grid of 5X5mm. Uniformly brushing of epoxy resin on the back.

The lightweight system provides detailed drawings of the joints laid on the wall and the horizontal section installation, and joints are added according to the spacing width.

6mm Installation Example



12mm Installation Example



- 1.Hook 2.Bolt
- 3.Backbolt connector
- 4.Large slate
- 5.Cube/column
- 6.Thermal insulation
- 7.Backbolt
- 8.Connector



ANKARA 1200 x 2800 x 6 mm 1600 x 3200 x 12 mm Bookmatch Matte



ARABESCATO BULGARI 1600 x 3200 x 12 mm Polished



STATUARIO BLANCO 1600 x 3200 x 20 mm Matte



CALACATTA ARGENTA 1600 x 3200 x 20 mm Matte



ICELANDIC WHITE 1600 x 3200 x 20 mm Matte




EMPEROR ONYX 1600 x 3200 x 12 mm Bookmatch Polished



PATAGONIA 1600 x 3200 x 12 mm Polished



SOAP STONE 1200 x 2700 x 6 mm 1600 x 3200 x 12 mm Bookmatch Contoured




SAHARA NOIR 1600 x 3200 x 20 mm Matte



NERO MARQUINA 1600 x 3200 x 12 mm 1600 x 3200 x 20 mm Bookmatch Matte

FULL BODY





BIANCO VENATINO 1600 x 3200 x 12 mm Bookmatch Honed / Polished



CALACATTA GOLD 1600 x 3200 x 12 mm Bookmatch Honed / Polished



STATUARIO NUOVO 1600 x 3200 x 12 mm Bookmatch Matte



CALACATTA SATIN BLANC 1200 x 2700 x 6 mm Continuous Honed / Polished



INVISIBLE WHITE 1600 x 3200 x 12 mm Honed



CALACATTA EXTRA 1600 x 3200 x 12 mm Bookmatch Honed



STATUARIO AZUL 1600 x 3200 x 6 mm Continuous Honed



CALACATTA PAONAZZO 1600 x 3200 x 12 mm Honed



TAJ MAHAL 1600 x 3200 x 12 mm Bookmatch Honed / Polished



BASALT CLASSIC 1200 x 2700 x 6 mm 1600 x 3200 x 12 mm Contoured



CYPRUS GREY 1600 x 3200 x 12 mm Matte



PIETRA GREY 1600 x 3200 x 12 mm Honed



MAGIC BLACK 1600 x 3200 x 6 mm 1600 x 3200 x 12 mm Honed



BULGARIA BLACK 1600 x 3200 x 12 mm Matte



ONICE WHITE 1600 x 3200 x 12 mm Continuous Honed / Polished



CALACATTA HERMES 1600 x 3200 x 12 mm Continuous Honed / Polished




CAREGGI 1600 x 3200 x 12 mm Bookmatch Polished




ASFORD GREY 1600 x 3200 x 12 mm Continuous Honed



CALACATTA BLACK 1600 x 3200 x 12 mm Bookmatch Matte



EMPERADO BROWN 1600 x 3200 x 12 mm Bookmatch Matte





KOTAN WHITE 1600 x 3200 x 12 mm Contoured



IVORY TERRA 1600 x 3200 x 12 mm Contoured



ELEMENTAL DARK GREY

Matte

1600 x 3200 x 12 mm

ELEMENTAL LIGHT GREY 1600 x 3200 x 12 mm Matte



OBSIDIAN GREY 1600 x 3200 x 12 mm Matte

Summary Titanium & Pure



TITANIUM SILVER 1600 x 3200 x 12 mm 1600 x 3200 x 20 mm Matte



TITANIUM BLUE 1600 x 3200 x 12 mm 1600 x 3200 x 20 mm Matte



FOREST BED 1600 x 3200 x 12 mm Matte



METALLIC 1600 x 3200 x 12 mm Matte



LIQUID SILVER 1600 x 3200 x 12 mm Matte



GUN METAL 1600 x 3200 x 12 mm Matte



1600 x 3200 x 20 mm

Contoured

ABSOLUTE WHITE 1600 x 3200 x 12 mm 1600 x 3200 x 20 mm Matte



INFINITY TRAVERTINE 1600 x 3200 x 12 mm Contoured



ROMAN TRAVERTINE 1600 x 3200 x 12 mm Contoured



ROMAN BEIGE TRAVERTINE 1600 x 3200 x 12 mm Contoured



LIMESTONE CREAM WHITE 1600 x 3200 x 12 mm Contoured



LIMESTONE GREY 1600 x 3200 x 12 mm Contoured



PIETRA VENICE 1200 x 2700 x 6 mm 1600 x 3200 x 12 mm Contoured

TECHNICAL SPECIFICATIONS

PROPERTIES	STANDARD	DETERMINATION	REQUIREMENTS	RESULTS
Length	EN ISO 10545-2	The deviation, of the average size for each porcelain (2 side) from the work size	± 0.6%	- 0.01% ~ 0
			± 2.0mm	- 0.3mm ~ 0.1mm
Width	EN ISO 10545-2	The deviation, of the average size for each porcelain (2 side) from the work size	± 0.6%	- 0.02% ~ 0.01%
			± 2.0mm	- 0.4mm ~ 0.1mm
Thickness	EN ISO 10545-2	The permissible deviation, of the average thickness for each porcelain from the work size thickness	± 5%	+ 1.4% ~ + 2.2%
			± 0.5mm	+0.3mm~+0.4mm
Water absorption	EN ISO 10545-3	Percent mass fraction	E ≤ 0.5%	0.04%
			Individual maximum 0.6%	0.03% ~ 0.05%
Breaking strength, in N	EN ISO 10545-4	Breaking strength	≥1300	15686
Modulus of rupture, in N/mm²	EN ISO 10545-4	Flexural strength	Minimum 35	55.5
			Individual minimum 32	54.6 ~ 56.4
Abrasion resistance	EN ISO 10545-7	Resistance to surface abrasion of glazed porcelain intended for use on floors	Report abrasion class	Class 4
			Report cycles passed	2100
Thermal shock resistance	EN ISO 10545-9	Expansion between 30 - 100 °C	Pass	Fully resistance
Forst resistance	EN ISO 10545-12	Forst resistance	Pass	Fully resistance
Slipperiness	DIN 51130	Slipperiness	11 ~ 70 PTV	a ges < 5°
Pendulum test value, slider96	EN 16165	for applications in dry and wet conditions	R11	Dry: 52
				Wet: 11
Reaction to fire	CWT	Reaction to fire	Class A1 or A1FL	Used for wall Class A1
				Used for floorings Class A1fl